ELSEVIER

Wear 197 (1996) 297

WEAR

Author Index of Volume 197

Abdel Moneim, M.Es., 295
Anderegg, J., 271
Azarian, M.H., 211

Bahadur, S., 271
Bergman, F., 296
Beynon, J.H., 255
Blau, P.J., 233
Blouet, J., 192
Bradbury, S.R., 74, 82

Chen, Y.K., 115
Clayton, P., 137

De Monicault, J.M., 192
Dewulf, J.M., 192
Ding, Y., 197

Esposito, L., 38

Fang, X.D., 169

Gardner, Jr., J.K., 233
Gong, D., 271
Gras, R., 192
Guha, D., 63

Harris, S.J., 179
Hisakado, T., 280
Hlaváček, M., 1
Hooke, C.J., 115
Hou, P.Y., 286

Ikuta, K., 280
Ivanyk, E., 160

Jacobson, S., 296
Jones, R., 197

Kapoor, A., 255
Kharlamov, V.V., 9
Koenen, A., 192
Kolmogorov, V.L., 9
Kuhnell, B.T., 197
Kukureka, S.N., 115
Kurilov, A.M., 9

Lewis, D.B., 74, 82
Li, Y., 130
Lian, Y., 206
Liao, P., 115

Machcha, A.R., 211
Majumdar, B.C., 221
Marinov, V., 242
McColl, I.R., 179
Modak, J.P., 17
Murphy, S., 248

Ngai, T.L., 130
Nicoletto, G., 38
Nie, M., 206

Paretkar, R.K., 17
Pathak, J.P., 145
Pavlishko, S.V., 9

Rack, H.J., 151
Rajan, T.V., 105
Ramanujachar, K., 45
Ramarao, A.V., 17
Ram Tyagi, M., 89, 98
Rao, M., 115
Rivière, J.P., 56
Roy Chowdhuri, S.K., 63

Saha, P.K., 123
Sahin, Y., 248
Saitou, K., 280
Sannino, A.P., 151
Sarwar, M., 74, 82
Sekhar, A.S., 221
Sethuramiah, A., 89, 98
Sharma, A., 105
Spurr, G.J., 179
Srivastava, V.K., 145
Stringer, J., 286

Su, X., 137
Subramanian, S.V., 45
Suda, H., 280

Talke, F.E., 211
Timsit, R.S., 123
Tucci, A., 38
Turaga, R., 221
Tyfour, W.R., 255

Virmoux, Ph., 192
Vokoun, D., 1

Wilson, W.R.D., 123

Xia, W., 130
Xue, Q., 228, 266

Yang, D., 228, 266
Yevtushenko, A., 160
Yu, L., 206

Zaytouni, M., 56
Zhang, D., 169
Zhang, H., 286
Zhang, W., 228, 266
Zhang, X., 228, 266

Elsevier Science S.A.

ELSEVIER

Wear 197 (1996) 299–302

WEAR

Subject Index of Volume 197

Abrasive test
experimental study on the abrasive wear in metal cutting, 242
Abrasive wear
experimental study on the abrasive wear in metal cutting, 242
Adhering layer
an investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel, 169
Adhesion
wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 56
microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 266
Adhesive wear
an approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 17
Aluminium alloy
wear performance of aluminium alloy composites containing uni-directionally-oriented silicon carbide coated boron fibres, 248
Aluminium–silicon alloys
bearing characteristics of cast leaded aluminium–silicon alloys, 105
Aluminum
influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 123
Aluminum bronze
mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 130
Ankle joint
elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, 1
Asperity
asperity level conformity in partial EHL. Part I: its characterization, 89

Bearings
bearing characteristics of cast leaded aluminium–silicon alloys, 105
Bonded solid film
the tribological behaviour and application of rare earth lubricants, 206
Boron
wear performance of aluminium alloy composites containing uni-directionally-oriented silicon carbide coated boron fibres, 248
Bush
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9

Cast-iron
sliding wear behavior of nitrided and nitrocarburized cast irons, 38
Ceramics
the effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 280
Characterization
asperity level conformity in partial EHL. Part I: its characterization, 89
Circular saw blades
analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 74
the effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 82
Coated cylinder
elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, 1
Coating
micromechanisms of tool wear in machining free cutting steels, 45
wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 56
Coefficient of friction
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Coefficient of friction/traction
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Composites
wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding, 115
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Conformity
asperity level conformity in partial EHL. Part I: its characterization, 89
Contact pressure
effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 160
Contact recording
an investigation of nano-wear during contact recording, 211
Copper particles
the effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 280
Cutting tool wear
experimental study on the abrasive wear in metal cutting, 242

Debris transfer
fretting wear of a fine particulate reinforced aluminium alloy matrix composite against a medium carbon steel, 179
Diffusional wear
micromechanisms of tool wear in machining free cutting steels, 45
Dimensional constants
an approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 17
Dimensional equation
an approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 17
DLC wear
an investigation of nano-wear during contact recording, 211
Driving load
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Dry–wet contact
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255

Elsevier Science S.A.

Dynamic ion mixing
wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 56

Elastic–plastic finite element analysis
elastic–plastic finite element analysis of spall formation in gears, 197
Epoxy resin
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Erosion–corrosion
the effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 286
Ethanol
the effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 280

Fatigue
surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels, 137
Fatigue wear
microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 266
Ferritic nitrocarburizing
sliding wear behavior of nitrided and nitrocarburized cast irons, 38
Filled composites
investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 271
Fillers
investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 271
Flash temperature
the effect of surface roughness on the temperature at the contact between sliding bodies, 63
Fluidized bed combustor
the effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 286
Free-cutting stainless steel
an investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel, 169
Free cutting steels
micromechanisms of tool wear in machining free cutting steels, 45
Fretting
a machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 192
Fretting wear
fretting wear of a fine particulate reinforced aluminium alloy matrix composite against a medium carbon steel, 179
Friction
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9
wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding, 115
influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 123
tribological investigation of 2009 Al–20 vol.% SiC_p/17-4 PH. Part I: Composite performance, 151
tribological characteristics of graded pencil cores on paper, 233
wear performance of aluminium alloy composites containing uni-directionally-oriented silicon carbide coated boron fibres, 248
investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 271
Frictional heating
effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 160
Friction and wear
mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 130

Gear teeth contact
elastic–plastic finite element analysis of spall formation in gears, 197
Generalized model
an approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 17
Glass fibre
wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding, 115
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Graphite
tribological characteristics of graded pencil cores on paper, 233
Graphite particles
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145

Hardness
wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 56
Heat flux
effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 160
Hydrodynamic bearings
stochastic FEM model of one-dimensional hydrodynamic bearings with rough surfaces, 221

Inclusion engineering
micromechanisms of tool wear in machining free cutting steels, 45
Incompressible coating
elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, 1
Indentation method
an investigation of nano-wear during contact recording, 211
Infrared
the effect of surface roughness on the temperature at the contact between sliding bodies, 63
Ion-beam mixing
sliding wear study of ion-beam mixing Ni–Mo multilayer films on steel, 228

Journal
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9

Ligament collapse
elastic–plastic finite element analysis of spall formation in gears, 197
Low carbon steels
surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels, 137
Lubricant
the tribological behaviour and application of rare earth lubricants, 206
Lubrication
elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, 1
asperity level conformity in partial EHL. Part II—Its influence in lubrication, 98
influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 123
Lubricity
the effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 280

Machinability
micromechanisms of tool wear in machining free cutting steels, 45
Machining
analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 74

2124 matrix
fretting wear of a fine particulate reinforced aluminium alloy matrix composite against a medium carbon steel, 179
Micro-electro-mechanical systems
an investigation of nano-wear during contact recording, 211
Microgeometry
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9
Microhardness
sliding wear study of ion-beam mixing Ni–Mo multilayer films on steel, 228
MMC
wear performance of aluminium alloy composites containing uni-directionally-oriented silicon carbide coated boron fibres, 248
Modify
mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 130
Multi-asperity contact
the effect of surface roughness on the temperature at the contact between sliding bodies, 63
Multilayer films
microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 266
Multilayer interfaces
sliding wear study of ion-beam mixing Ni–Mo multilayer films on steel, 228

Nano-crystals
microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 266
Nano-wear
an investigation of nano-wear during contact recording, 211
Nickel-based alloys
analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 74
Nitriding
sliding wear behavior of nitrided and nitrocarburized cast irons, 38
Nylon 66
wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding, 115

Oleic acid
the effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 280

Paper
tribological characteristics of graded pencil cores on paper, 233
Partial EHL
asperity level conformity in partial EHL Part II—Its influence in lubrication, 98
Particulate reinforced MMC
fretting wear of a fine particulate reinforced aluminium alloy matrix composite against a medium carbon steel, 179
Pearlitic rail steel
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Pencil cores
tribological characteristics of graded pencil cores on paper, 233
Plastic instability
an approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 17
Porous
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9

Rare earth
the tribological behaviour and application of rare earth lubricants, 206
Ratchetting
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Reinforced aluminum composites
tribological investigation of 2009 Al–20 vol.% SiC_P/17-4 PH. Part I: Composite performance, 151
Rolling contact fatigue
surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels, 137
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Rolling–sliding
wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding, 115
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Roughness
the effect of surface roughness on the temperature at the contact between sliding bodies, 63
Rough surfaces
effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 160

Shakedown
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Sheet-metal forming
influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 123
Silicon carbide
wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 56
Sliding time
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Sliding wear
sliding wear behavior of nitrided and nitrocarburized cast irons, 38
tribological investigation of 2009 Al–20 vol.% SiC_P/17-4 PH. Part I: Composite performance, 151
Space
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9
Space curve
an approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 17
Spalling
elastic–plastic finite element analysis of spall formation in gears, 197
1018 steel
the effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 286
Steel counterface
fretting wear of a fine particulate reinforced aluminium alloy matrix composite against a medium carbon steel, 179
Stochastic finite element method
stochastic FEM model of one-dimensional hydrodynamic bearings with rough surfaces, 221
Strain hardening
deterioration of rolling contact fatigue life of pearlitic rail steel due to dry–wet rolling–sliding line contact, 255
Substrate surface preparation
the effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 82
Subsurface crack
elastic–plastic finite element analysis of spall formation in gears, 197
Surface
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9

Surface conformity
asperity level conformity in partial EHL. Part II—Its influence in lubrication, 98
Surface damag
a machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 192
Surface lay
influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 123
Surface roughness
asperity level conformity in partial EHL. Part I: its characterization, 89
asperity level conformity in partial EHL. Part II—Its influence in lubrication, 98
influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 123
stochastic FEM model of one-dimensional hydrodynamic bearings with rough surfaces, 221

Temperature field
effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 160
Temperature gradient
the effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 286
Thermal images
the effect of surface roughness on the temperature at the contact between sliding bodies, 63
Thermal stresses
effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 160
TiN coating
the effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 82
Tool wear
micromechanisms of tool wear in machining free cutting steels, 45
Tool wear progression
an investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel, 169
Topographical analysis
the effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 280
Transfer film
investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 271
Tribological behaviour
the tribological behaviour and application of rare earth lubricants, 206
Tribology
an investigation of nano-wear during contact recording, 211

Wear
friction and wear model of a heavy-loaded sliding pair. Part II. Application to an unlubricated journal bearing, 9
wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 56
wear and friction of nylon–glass fibre composites in non-conformal contact under combined rolling and sliding, 115
wear performance of aluminium alloy composites containing uni-directionally-oriented silicon carbide coated boron fibres, 248
investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 271
Wear and friction
sliding wear study of ion-beam mixing Ni–Mo multilayer films on steel, 228
Wear mechanisms
sliding wear behavior of nitrided and nitrocarburized cast irons, 38
analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 74
the effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 82
Wear rate
friction and wear properties of bushing bearing of graphite filled short glass fibre composites in dry sliding, 145
Wear-resisting
mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 130
Wear testing
a machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 192

XPS study
investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 271